

[Skip to main content](#)

Cornell University

[New](#) [Program](#) [Learning](#) [Resources](#) [Events](#) [Maps](#) & [Stats](#) [Research](#) [Resources](#) [BCERF](#) [Research](#)SPRECHER
INSTITUTE
for Comparative
Cancer Research

Ionizing Radiation and Breast Cancer Risk Bibliography

This bibliography is provided as a service to our readers. It is compiled from the entries in the BCERF [Environmental Risk Factors Bibliographic Database](#).

Review and Commentary

(1998). Genetic susceptibility to cancer. ICRP publication 79. Approved by the Commission in May 1997. International Commission on Radiological Protection. *Annals ICRP* 28, 1-157.

Bhatia, S., Robison, L. L., Oberlin, O., Greenberg, M., Bunin, G., Fossati-Bellani, F., and Meadows, A. T. (1996). Breast cancer and other second neoplasms after childhood Hodgkin's disease. *New England Journal of Medicine* 334, 745-751.

Bishop, D. T., and Hopper, J. (1997). AT-tributable risks? *Nature Genetics* 15, 226.

Boice, J. D., Jr., Land, C. E., and Preston, D. L. (1996). Ionizing radiation. In *Cancer Epidemiology and Prevention*, D. Schottenfeld, and J. F. Fraumeni, Jr., eds. (New York, Oxford Press), pp. 319-354.

Boice, J. D., Jr. (2001). Radiation and breast carcinogenesis. *Medical and Pediatric Oncology* 36, 508-513.

Easton, D. F. (1994). Cancer risks in A-T heterozygotes. *International Journal of Radiation Biology* 66, S177-S182.

Evans, J. S., Wennberg, J. E., and McNeil, B. J. (1986). The influence of diagnostic radiography on the incidence of breast cancer and leukemia. *New England Journal of Medicine* 315, 810-815.

IARC (2000). IARC monographs on the evaluation of carcinogenic risks to humans. (Lyon, France, IARC).

Lavin, M. (1998). Role of the ataxia-telangiectasia gene (ATM) in breast cancer. A-T heterozygotes seem to have an increased risk but its size is unknown. *BMJ* 317, 486-487.

Mackenzie, I. (1965). Breast Cancer Following Multiple Fluoroscopies. *British Journal of Cancer* 19, 1-8.

McCally, M., and Donohoe, M. (2004). Irradiation of food. *New England Journal of Medicine* 351, 402-403; author reply 402-403.

Neugut, A. I., Robinson, E., Lee, W. C., and al, e. (1994). Lung cancer after radiotherapy for breast cancer. *Cancer* 71, 3054-3057.

Osterholm, M. T., and Norgan, A. P. (2004). The role of irradiation in food safety. *New England Journal of Medicine* 350, 1898-1901.

Thayer, D. W. (2004). Irradiation of food--helping to ensure food safety. *New England Journal of Medicine* 350, 1811-1812.

UNSCEAR (2000). United Nations Scientific Committee on the Effects of Atomic Radiation. Sources and Effects of Ionizing Radiation. UNSCEAR 2000 Report to the General Assembly, with Scientific Annexes. Volume II: Effects. E.00.IX.4 (New York, United Nations).

Epidemiological Studies

Andersson, M., Carstensen, B., and Storm, H. H. (1995). Mortality and cancer incidence after cerebral arteriography with or without Thorotrast. *Radiation Research* 142, 305-320.

Athma, P., Rappaport, R., and Swift, M. (1996). Molecular genotyping shows that ataxia-telangiectasia heterozygotes are predisposed to breast cancer. *Cancer Genetics and Cytogenetics* 92, 130-134.

Bay, J. O., Grancho, M., Pernin, D., Presneau, N., Rio, P., Tchirkov, A., Uhrhammer, N., Verrelle, P., Gatti, R. A., and Bignon, Y. J. (1998). No evidence for constitutional ATM mutation in breast/gastric cancer families. *International Journal of Oncology* 12, 1385-1390.

Bebb, D. G., Yu, Z., Chen, J., Telatar, M., Gelmon, K., Phillips, N., Gatti, R. A., and Glickman, B. W. (1999). Absence of mutations in the ATM gene in forty-seven cases of sporadic breast cancer. *British Journal of Cancer* 80, 1979-1981.

Bernstein, J. L., Langholz, B., Haile, R. W., Bernstein, L., Thomas, D. C., Stovall, M., Malone, K. E., Lynch, C. F., Olsen, J. H., Anton-Culver, H., et al. (2004). Study design: evaluating gene-environment interactions in the etiology of breast cancer - the WECARE study. *Breast Cancer Research* 6, R199-R214.

Boice, J. D., Jr., and Monson, R. R. (1977). Breast cancer in women after repeated fluoroscopic examinations of the chest. *Journal of the National Cancer Institute* 59, 823-832.

Boice, J. D., Jr., Land, C. E., Shore, R. E., Norman, J. E., and Tokunaga, M. (1979). Risk of breast cancer following low-dose radiation exposure. *Radiology* 131, 589-597.

Boice, J. D., Jr., Blettner, M., Kleinerman, R. A., Engholm, G., Stovall, M., Lisco, H., Austin, D. F., Bosch, A., Harlan, L., Krementz, E. T., and . (1989). Radiation dose and breast cancer risk in patients treated for cancer of the cervix. *International Journal of Cancer* 44, 7-16.

Boice, J. D., Jr., Preston, D., Davis, F. G., and Monson, R. R. (1991). Frequent chest X-ray fluoroscopy and breast cancer incidence among tuberculosis patients in Massachusetts. *Radiation Research* 125, 214-222.

Boice, J. D., Jr., Harvey, E. B., Blettner, M., Stovall, M., and Flannery, J. T. (1992). Cancer in the contralateral breast after radiotherapy for breast cancer. *New England Journal of Medicine* 326, 781-785.

Boice, J. D., Jr., Mandel, J. S., and Doody, M. M. (1995). Breast cancer among radiologic technologists. *JAMA* 274, 394-401.

Boice, J. D., Jr., Blettner, M., and Auvinen, A. (2000). Epidemiologic studies of pilots and aircrew. *Health Physics* 79, 576-584.

Borresen, A. L., Andersen, T. I., Tretli, S., Heiberg, A., and Moller, P. (1990). Breast cancer and other cancers in Norwegian families with ataxia-telangiectasia. *Genes Chromosomes and Cancer* 2, 339-340.

Broeks, A., Russell, N. S., Floore, A. N., Urbanus, J. H., Dahler, E. C., van, T., V, Hagenbeek, A., Noordijk, E. M., Crommelin, M. A., van Leeuwen, F. E., and van, T., V (2000). Increased risk of breast cancer following irradiation for Hodgkin's disease is not a result of ATM germline mutations. *International Journal of Radiation Biology* 76, 693-698.

Cardis, E., Gilbert, E. S., Carpenter, L., Howe, G., Kato, I., Armstrong, B. K., Beral, V., Cowper, G., Douglas, A., Fix, J., and . (1995). Effects of low doses and low dose rates of external ionizing radiation: cancer mortality among nuclear industry workers in three countries. *Radiation Research* 142, 117-132.

Chen, J., Birkholtz, G. G., Lindblom, P., Rubio, C., and Lindblom, A. (1998). The role of ataxia-telangiectasia heterozygotes in familial breast cancer. *Cancer Research* 58, 1376-1379.

Chen, J., Lee, R. J., Tsodikov, A., Smith, L., and Gaffney, D. K. (2004). Does radiotherapy around the time of pregnancy for Hodgkin's disease modify the risk of breast cancer? *International Journal of Radiation Oncology, Biology, Physics* 58, 1474-1479.

Doody, M. M., Mandel, J. S., Lubin, J. H., and Boice, J. D., Jr. (1998). Mortality among United States radiologic technologists, 1926-90. *Cancer Causes and Control* 9, 67-75.

FitzGerald, M. G., Bean, J. M., Hegde, S. R., Unsal, H., MacDonald, D. J., Harkin, D. P., Finkelstein, D. M., Isselbacher, K. J., and Haber, D. A. (1997). Heterozygous ATM mutations do not contribute to early onset of breast cancer. *Nature Genetics* 15, 307-310.

Goldman, M. B., Maloof, F., Monson, R. R., Aschengrau, A., Cooper, D. S., and Ridgway, E. C. (1988). Radioactive iodine therapy and breast cancer. A follow-up study of hyperthyroid women. *American Journal of Epidemiology* 127, 969-980.

Hancock, S. L., Tucker, M. A., and Hoppe, R. T. (1993). Breast cancer after treatment of Hodgkin's disease. *Journal of the National Cancer Institute* 85, 25-31.

- Hildreth, N. G., Shore, R. E., and Dvoretzky, P. M. (1989). The risk of breast cancer after irradiation of the thymus in infancy. *New England Journal of Medicine* 321, 1281-1284.
- Hoffman, D. A., Lonstein, J. E., Morin, M. M., Visscher, W., Harris, B. S., III, and Boice, J. D., Jr. (1989). Breast cancer in women with scoliosis exposed to multiple diagnostic x rays. *Journal of the National Cancer Institute* 81, 1307-1312.
- Holmberg, E., Holm, L. E., Lundell, M., Mattsson, A., Wallgren, A., and Karlsson, P. (2001). Excess breast cancer risk and the role of parity, age at first childbirth and exposure to radiation in infancy. *British Journal of Cancer* 85, 362-366.
- Howe, G. R., and McLaughlin, J. (1996). Breast cancer mortality between 1950 and 1987 after exposure to fractionated moderate-dose-rate ionizing radiation in the Canadian fluoroscopy cohort study and a comparison with breast cancer mortality in the atomic bomb survivors study. *Radiation Research* 145, 694-707.
- Inskip, H. M., Kinlen, L. J., Taylor, A. M., Woods, C. G., and Arlett, C. F. (1999). Risk of breast cancer and other cancers in heterozygotes for ataxia-telangiectasia. *British Journal of Cancer* 79, 1304-1307.
- Inskip, P. D., Monson, R. R., Wagoner, J. K., Stovall, M., Davis, F. G., Kleinerman, R. A., and Boice, J. D., Jr. (1990). Cancer mortality following radium treatment for uterine bleeding. *Radiation Research* 123, 331-344.
- Janin, N., Andrieu, N., Ossian, K., Lauge, A., Croquette, M. F., Griscelli, C., Debre, M., Bressac-de-Paillerets, B., Aurias, A., and Stoppa-Lyonnet, D. (1999). Breast cancer risk in ataxia telangiectasia (AT) heterozygotes: haplotype study in French AT families. *British Journal of Cancer* 80, 1042-1045.
- Land, C. E., Hayakawa, N., Machado, S. G., Yamada, Y., Pike, M. C., Akiba, S., and Tokunaga, M. (1994). A case-control interview study of breast cancer among Japanese A-bomb survivors. II. Interactions with radiation dose. *Cancer Causes and Control* 5, 167-176.
- Land, C. E. (1995). Studies of cancer and radiation dose among atomic bomb survivors. The example of breast cancer. *JAMA* 274, 402-407.
- Land, C. E., Tokunaga, M., Koyama, K., Soda, M., Preston, D. L., Nishimori, I., and Tokuoka, S. (2003). Incidence of female breast cancer among atomic bomb survivors, Hiroshima and Nagasaki, 1950-1990. *Radiation Research* 160, 707-717.
- Little, M. P., and Boice, J. D., Jr. (1999). Comparison of breast cancer incidence in the Massachusetts tuberculosis fluoroscopy cohort and in the Japanese atomic bomb survivors. *Radiation Research* 151, 218-224.
- Lundell, M., Mattsson, A., Karlsson, P., Holmberg, E., Gustafsson, A., and Holm, L. E. (1999). Breast cancer risk after radiotherapy in infancy: a pooled analysis of two Swedish cohorts of 17,202 infants. *Radiation Research* 151, 626-632.
- Lynge, E. (1996). Risk of breast cancer is also increased among Danish female airline cabin attendants. *BMJ* 312, 253.
- Mattsson, A., Ruden, B. I., Hall, P., Wilking, N., and Rutqvist, L. E. (1993). Radiation-induced breast cancer: long-term follow-up of radiation therapy for benign breast disease. *Journal of the National Cancer Institute* 85, 1679-1685.
- Mattsson, A., Holmberg, E., Preston, D., and Boice, J. D., Jr. (1999). Radiatoin effects on breast cancer risk: a pooled analysis of eight cohorts. In A Doctoral Thesis. On Ionising Radiation and Breast Cancer Risk, A. Mattsson, ed. (Stockholm, Karolinska University).
- McGeoghegan, D., Gillies, M., Riddell, A. E., and Binks, K. (2003). Mortality and cancer morbidity experience of female workers at the British Nuclear Fuels Sellafield plant, 1946-1998. *American Journal of Industrial Medicine* 44, 653-663.
- Mettler, F. A., Jr., Hempelmann, L. H., Dutton, A. M., Pifer, J. W., Toyooka, E. T., and Ames, W. R. (1969). Breast neoplasms in women treated with x rays for acute postpartum mastitis. A pilot study. *Journal of the National Cancer Institute* 43, 803-811.
- Miller, A. B., Howe, G. R., Sherman, G. J., Lindsay, J. P., Yaffe, M. J., Dinner, P. J., Risch, H. A., and Preston, D. L. (1989). Mortality from breast cancer after irradiation during fluoroscopic examinations in patients being treated for tuberculosis. *New England Journal of Medicine* 321, 1285-1289.
- Mohan, A. K., Hauptmann, M., Linet, M. S., Ron, E., Lubin, J. H., Freedman, D. M., Alexander, B. H., Boice, J. D., Jr., Doody, M. M., and Matanoski, G. M. (2002). Breast cancer mortality among female radiologic technologists in the United States. *Journal of the National Cancer Institute* 94, 943-948.
- Morin, D. M., Lonstein, J. E., Stovall, M., Hacker, D. G., Luckyanov, N., and Land, C. E. (2000a). Breast cancer mortality after diagnostic radiography: findings from the U.S. Scoliosis Cohort Study. *Spine* 25, 2052-2063.
- Morin, D. M., Mandel, J. S., Linet, M. S., Ron, E., Lubin, J. H., Boice, J. D., Jr., and Fraumeni, J. F., Jr. (2000b). Mortality among Catholic nuns certified as radiologic technologists. *American Journal of Industrial Medicine* 37, 339-348.

Nekolla, E. A., Kellerer, A. M., Kuse-Isingschulte, M., Eder, E., and Spiess, H. (1999). Malignancies in patients treated with high doses of radium-224. *Radiation Research* 152, S3-S7.

Nichols, K. E., Levitz, S., Shannon, K. E., Wahrer, D. C., Bell, D. W., Chang, G., Hegde, S., Neuberg, D., Shafman, T., Tarbell, N. J., et al. (1999). Heterozygous germline ATM mutations do not contribute to radiation-associated malignancies after Hodgkin's disease. *Journal of Clinical Oncology* 17, 1259.

Offit, K., Gilad, S., Paglin, S., Kolachana, P., Roisman, L. C., Nafa, K., Yeugelewitz, V., Gonzales, M., Robson, M., McDermott, D., et al. (2002). Rare variants of ATM and risk for Hodgkin's disease and radiation-associated breast cancers. *Clinical Cancer Research* 8, 3813-3819.

Olsen, J. H., Garwicz, S., Hertz, H., Jonmundsson, G., Langmark, F., Lanning, M., Lie, S. O., Moe, P. J., Moller, T., Sankila, R., and . (1993). Second malignant neoplasms after cancer in childhood or adolescence. Nordic Society of Paediatric Haematology and Oncology Association of the Nordic Cancer Registries. *BMJ* 307, 1030-1036.

Olsen, J. H., Hahnemann, J. M., Borresen-Dale, A. L., Brondum-Nielsen, K., Hammarstrom, L., Kleinerman, R., Kaariainen, H., Lonqvist, T., Sankila, R., Seersholtz, N., et al. (2001). Cancer in patients with ataxia-telangiectasia and in their relatives in the nordic countries. *Journal of the National Cancer Institute* 93, 121-127.

Omar, R. Z., Barber, J. A., and Smith, P. G. (1999). Cancer mortality and morbidity among plutonium workers at the Sellafield plant of British Nuclear Fuels. *British Journal of Cancer* 79, 1288-1301.

Pierce, D. A., Shimizu, Y., Preston, D. L., Vaeth, M., and Mabuchi, K. (1996). Studies of the mortality of atomic bomb survivors. Report 12, Part I. *Cancer: 1950-1990*. *Radiation Research* 146, 1-27.

Pippard, E. C., Hall, A. J., Barker, D. J., and Bridges, B. A. (1988). Cancer in homozygotes and heterozygotes of ataxia-telangiectasia and xeroderma pigmentosum in Britain. *Cancer Research* 48, 2929-2932.

Preston, D. L., Mattsson, A., Holmberg, E., Shore, R., Hildreth, N. G., and Boice, J. D., Jr. (2002). Radiation effects on breast cancer risk: a pooled analysis of eight cohorts. *Radiation Research* 158, 220-235.

Preston, D. L., Shimizu, Y., Pierce, D. A., Suyama, A., and Mabuchi, K. (2003). Studies of mortality of atomic bomb survivors. Report 13: Solid cancer and noncancer disease mortality: 1950-1997. *Radiation Research* 160, 381-407.

Pukkala, E., Auvinen, A., and Wahlberg, G. (1995). Incidence of cancer among Finnish airline cabin attendants, 1967-92. *BMJ* 311, 649-652.

Ron, E., Doody, M. M., Becker, D. V., Brill, A. B., Curtis, R. E., Goldman, M. B., Harris, B. S., III, Hoffman, D. A., McConahey, W. M., Maxon, H. R., et al. (1998). Cancer mortality following treatment for adult hyperthyroidism. Cooperative Thyrotoxicosis Therapy Follow-up Study Group. *JAMA* 280, 347-355.

Rowland, R. E., Lucas, H. F., and Schlenker, R. A. (1989). External radiation doses received by female radium dial painters. In *Risks from Radium and Thorotrast*. BIR Rep 21, D. M. Taylor, C. W. Mays, G. B. Gerber, and R. G. Thomas, eds. (London, British Institute of Radiology), pp. 67-72.

Sankila, R., Garwicz, S., Olsen, J. H., Dollner, H., Hertz, H., Kreuger, A., Langmark, F., Lanning, M., Moller, T., and Tulinius, H. (1996). Risk of subsequent malignant neoplasms among 1,641 Hodgkin's disease patients diagnosed in childhood and adolescence: a population-based cohort study in the five Nordic countries. Association of the Nordic Cancer Registries and the Nordic Society of Pediatric Hematology and Oncology. *Journal of Clinical Oncology* 14, 1442-1446.

Shafman, T. D., Levitz, S., Nixon, A. J., Gibans, L. A., Nichols, K. E., Bell, D. W., Ishioka, C., Isselbacher, K. J., Gelman, R., Garber, J., et al. (2000). Prevalence of germline truncating mutations in ATM in women with a second breast cancer after radiation therapy for a contralateral tumor. *Genes Chromosomes and Cancer* 27, 124-129.

Shore, R. E., Hildreth, N., Woodard, E., Dvoretsky, P., Hempelmann, L., and Pasternack, B. (1986). Breast cancer among women given X-ray therapy for acute postpartum mastitis. *Journal of the National Cancer Institute* 77, 689-696.

Sont, W. N., Zielinski, J. M., Ashmore, J. P., Jiang, H., Krewski, D., Fair, M. E., Band, P. R., and Letourneau, E. G. (2001). First analysis of cancer incidence and occupational radiation exposure based on the National Dose Registry of Canada. *American Journal of Epidemiology* 153, 309-318.

Stebbins, J. H., Lucas, H. F., and Stehney, A. F. (1984). Mortality from cancers of major sites in female radium dial workers. *American Journal of Industrial Medicine* 5, 435-459.

Storm, H. H., Andersson, M., Boice, J. D., Jr., Blettner, M., Stovall, M., Mouridsen, H. T., Dombernowsky, P., Rose, C., Jacobsen, A., and Pedersen, M. (1992). Adjuvant radiotherapy and risk of contralateral breast cancer. *Journal of the National Cancer Institute* 84, 1245-1250.

Swift, M., Reitnauer, P. J., Morrell, D., and Chase, C. L. (1987). Breast and other cancers in families with

ataxia-telangiectasia. New England Journal of Medicine 316, 1289-1294.

Swift, M., Morrell, D., Massey, R. B., and Chase, C. L. (1991). Incidence of cancer in 161 families affected by ataxia-telangiectasia. New England Journal of Medicine 325, 1831-1836.

Tao, Z., Cha, Y., and Sun, Q. (1999). [Cancer mortality in high background radiation area of Yangjiang, China, 1979-1995]. Zhonghua Yi.Xue.Za Zhi. 79, 487-492.

Thompson, D. E., Mabuchi, K., Ron, E., Soda, M., Tokunaga, M., Ochikubo, S., Sugimoto, S., Ikeda, T., Terasaki, M., Izumi, S., and . (1994). Cancer incidence in atomic bomb survivors. Part II: Solid tumors, 1958-1987. Radiation Research 137, S17-S67.

Travis, L. B., Hill, D. A., Dores, G. M., Gospodarowicz, M., van Leeuwen, F. E., Holowaty, E., Glimelius, B., Andersson, M., Wiklund, T., Lynch, C. F., et al. (2003). Breast cancer following radiotherapy and chemotherapy among young women with Hodgkin disease. JAMA 290, 465-475.

van Leeuwen, F. E., Klokman, W. J., Stovall, M., Dahler, E. C., Van't Veer, M. B., Noordijk, E. M., Crommelin, M. A., Aleman, B. M., Broeks, A., Gospodarowicz, M., et al. (2003). Roles of radiation dose, chemotherapy, and hormonal factors in breast cancer following Hodgkin's disease. Journal of the National Cancer Institute 95, 971-980.

Wang, J. X., Inskip, P. D., Boice, J. D., Jr., Li, B. X., Zhang, J. Y., and Fraumeni, J. F., Jr. (1990). Cancer incidence among medical diagnostic X-ray workers in China, 1950 to 1985. International Journal of Cancer 45, 889-895.

Wang, J. X., Zhang, L. A., Li, B. X., Zhao, Y. C., Wang, Z. Q., Zhang, J. Y., and Aoyama, T. (2002). Cancer incidence and risk estimation among medical x-ray workers in China, 1950-1995. Health Physics 82, 455-466.

Weiss, H. A., Darby, S. C., and Doll, R. (1994). Cancer mortality following X-ray treatment for ankylosing spondylitis. International Journal of Cancer 59, 327-338.

Wolden, S. L., Lamborn, K. R., Cleary, S. F., Tate, D. J., and Donaldson, S. S. (1998). Second cancers following pediatric Hodgkin's disease. Journal of Clinical Oncology 16, 536-544.

Wong, F. L., Boice, J. D., Jr., Abramson, D. H., Tarone, R. E., Kleinerman, R. A., Stovall, M., Goldman, M. B., Seddon, J. M., Tarbell, N., Fraumeni, J. F., Jr., and Li, F. P. (1997). Cancer incidence after retinoblastoma. Radiation dose and sarcoma risk. JAMA 278, 1262-1267.

Zeeb, H., Blettner, M., Langner, I., Hammer, G. P., Ballard, T. J., Santaquilani, M., Gundestrup, M., Storm, H., Haldorsen, T., Tveten, U., et al. (2003). Mortality from cancer and other causes among airline cabin attendants in Europe: a collaborative cohort study in eight countries. American Journal of Epidemiology 158, 35-46.

Molecular/Cellular Studies

Vorechovsky, I., Rasio, D., Luo, L., Monaco, C., Hammarstrom, L., Webster, A. D., Zaloudik, J., Barbanti-Brodani, G., James, M., Russo, G., and . (1996). The ATM gene and susceptibility to breast cancer: analysis of 38 breast tumors reveals no evidence for mutation. Cancer Research 56, 2726-2732.

[Back to the top](#)

Prepared by Barbour Warren, Ph.D., Research Associate., BCERF.

We will make every effort to update this bibliography. If you have comments on this bibliography, or have a suggestion of a reference you would like us to review for inclusion in the bibliography, please send this information via email to: breastcancer@cornell.edu

Last Update 05.06.03

© 2009 Cornell University

Program on Breast Cancer and Environmental Risk Factors
Cornell University, College of Veterinary Medicine
Vet Box 31, Ithaca, NY 14853-6401
Phone: 607.254.2893; Fax: 607.254.4730
Email: breastcancer@cornell.edu

We comply with the [HONcode standard for trustworthy health](#) information: [Verify here.](#)

