### Skip to main content



New Program Learning Resources Events Maps & Stats Research Resources BCERF Research

# Breast Cancer and Environmental Risk Factors



## Diet and Lifestyle and Survival From Breast Cancer Bibliography

This bibliography is provided as a service to our readers. It is compiled from the entries in the BCERF Environmental Risk Factors Bibliographic Database.

This bibliography is arranged topically. The topics include:

- Reviews & Commentaries
- Human & Epidemiological Studies
- Human & Clinical Studies
- Animal & In vitro Studies

#### **Reviews & Commentaries**

Alberg, A. J., Singh, S., May, J.W., and Helzlsouer, K.J. (2000). Epidemiology, prevention, and early detection of breast cancer. Current Opinion in Oncology 12, 515-520.

Bilimoria, M., and Jordan, V. (1998). The duration of adjuvant tamoxifen therapy. Cancer Treatment and Research 94, 181-193.

Boyd, N. F., Lockwood, G. A., Byng, J. W., Tritchler, D. L., and Yaffe, M. J. (1998). Mammographic densities and breast cancer risk. Cancer Epidemiology, Biomarkers and Prevention 7, 1133-1144.

Burstein, H. J., and Winer, E. P. (2000). Primary care for survivors of breast cancer. New England Journal of Medicine 343, 1086-1094.

Byers, T., Rock, C. L., and Hamilton, K. K. (1997). Dietary changes after breast cancer: What should we recommend? Cancer Practice 5, 317-320.

Chlebowski, R. T., and Grosvenor, M. (1994). The scope of nutrition intervention trials with cancer-related endpoints. Cancer (supplement) 74, 2734-2738.

Cohen, L. A., Rose, D. P., and Wynder, E. L. (1993). A Rationale for dietary intervention in postmenopausal breast cancer patients: An update. Nutrition and Cancer 19, 1-10.

Demark-Wahnefried, W., Rimer, B. K., and Winer, E. P. (1997). Weight gain in women diagnosed with breast cancer. Journal of the American Dietetic Association 97, 519-526.

Demark-Wahnefried, W., Winer, E. P., and Rimer, B. K. (1993). Why women gain weight with adjuvant chemotherapy for breast cancer. Journal of Clinical Oncology 11, 1418-1429.

Erikson, V. S., Pearson, M. L., Ganz, P. A., Adams, J., and Kahn, K. L. (2001). Arm edema in breast cancer patients. Journal of the National Cancer Institute 93, 96-111.

Friedenreich, C. M., and Courneya, K. S. (1996). Exercise as rehabilitation for cancer patients. Clinical Journal of Sport Medicine 6, 237-244.

Ganz, P. A. (1990). Current issues in cancer rehabilitation. Cancer 65, 742-751.

Goodwin, P. J., and Boyd, N. F. (1990). Body size and breast cancer prognosis: A critical review of the evidence. Breast Cancer Research and Treatment 16, 205-214.

Greenlee, R. T., Hill-Harmon, M. B., Murray, T., and Thun, M. (2001). Cancer Statistics, 2001. CA: A Cancer Journal for Clinicians 51, 15-36.

Hoffman-Goetz, L., and Husted, J. (1994). Exercise and breast cancer: Review and critical analysis of the literature. Canadian Journal of Applied Physiology 19, 237-251.

Holmes, M. D., and Willett, W. C. (1999). Diet and breast carcinoma survival: An abundance of hope, a dearth of evidence. Cancer, 754-755.

Isaacs, C., Stearns, V., and Hayes, D. F. (2001). New prognostic factors for breast cancer recurrences. Seminars in Oncology 28, 53-67.

Jatoi, A., and Loprinzi, C. L. (1999). Nutritional determinants of survival among patients with breast cancer. Surgical Clinics of North America 79, 1145-1156.

Kent, H. (1996). Breast-cancer survivors begin to challenge exercise taboos. Canadian Medical Association Journal 155, 969-971.

Kroman, N., Mouridsen, H., and Melbye, M. (2001). The significance of reproductive history for prognosis of primary breast cancer. Ugeskrift for Laeger 163, 5205-5209.

Lane, H. W., and Carpenter, J. T. (1987). Breast cancer: Incidence, nutritional concerns, and treatment approaches. Journal of the American Dietetic Association 87, 765-769.

Lee, I.-M., Paffenbarger Jr., R. S., and Hennekens, C. H. (1997). Physical activity, physical fitness and longevity. Aging, Clinical Experimental Research 9, 2-11.

Lippman, M. E., and Hayes, D. F. (2001). Adjuvant therapy for all patients with breast cancer? Journal of the National Cancer Institute 93, 80-82.

Marshall, J. R. (1999). Diet and breast carcinoma survival: An abundance of hope, a dearth of evidence: Counterpoint. Cancer 86, 751-753.

Nass, S.J., Henderson, I.C., and Lashof, J.C. (Eds.) (2001). Mammography and beyond: A summary of a study by the Institute of Medicine. Available at: http://wwwnapedu/openbook0309075505/html/. Accessed July 24, 2002.

Nixon, D. W. (1996). Cancer, cancer cachexia, and diet: Lessons from clinical research. Nutrition 12 Supplement, S52-S56.

Olsen, O., and Gotzsche, P. C. (2001). Cochrane review on screening for breast cancer with mammography. Lancet 358, 1340-1342

Pearson, H. (2001). Breast cancer screens scrutinised. Nature Science Update.

Pollak, S. S., Spitzer, W., and Margolese, R. (1989). Body size and breast cancer prognosis: a statistical explanation of the discrepancies. Cancer Research 49, 3113-3116.

Rodger, A. (1998). Polychemotherapy for early breast cancer: an overview of the randomized trials. Lancet 352, 930-942.

Rose, D. P., Boyar, A. P., Cohen, C., and Strong, L. E. (1987). Effect of a low-fat diet on hormone levels in women with cystic breast disease: I. Serum steroids and gonadotropins. Journal of the National Cancer Institute 78, 623-626.

SEER, N. SEER Cancer Statistics Review, 1973-1997 (Surveillance, Epidemiology, and End Results Program of the National Cancer Institute). Available at: http://seer.cancer.gov/. Accessed: July 31, 2002.

Shapiro, C. L., and Recht, A. (2001). Side effects of adjuvant treatment of breast cancer. New England Journal of Medicine 344, 1997-2008.

Hortyobagyi, G. (2000). Adjuvant therapy for breast cancer. Annual Review of Medicine 51:377-392.

Swain, S. M. (1996). Tamoxifen: the long and short of it. Journal of the National Cancer Institute 88, 1510-1512.

This, P., De La Rochefordiere, A., Clough, K., Fourquet, A., and Magdelenat, H. (2001). Phytoestrogens after breast cancer. Endocrine Related Cancer 8, 129-134.

Wood, A. J. (1998). Tamoxifen in the treatment of breast cancer. New England Journal of Medicine 339, 1609-1618.

Wynder, E. L., and Cohen, L. A. (1997). Correlating nutrition to recent cancer mortality statistics: Correspondence. Journal

of the National Cancer Institute 89, 324-326.

#### **Human & Epidemiological Studies**

Bailar, J. C., 3rd, and Gornik, H. L. (1997). Cancer undefeated. New England Journal of Medicine 336, 1569-1574.

Black, M., Hankey, B., and Barclay, T. (1983). Parity as a prognostic factor in young breast cancer patients. Journal of the National Cancer Institute 70, 27-30.

Calle, E., Miracle-McMahill, H., Thun, M., and Heath, C. J. (1994). Cigarette smoking and risk of fatal breast cancer. American Journal of Epidemiology 139, 1001-1007.

Caygill, C. P. J., and Hill, M. J. (1995). Fish, n-3 fatty acids and human colorectal and breast cancer mortality. European Journal of Cancer Prevention 4, 329-332.

Demark-Wahnefried, W., Peterson, B., Winer, E. P., Marks, L., Aziz, N., Marcom, P., Blackwell, K., and Rimer, B. K. (2001). Changes in weight, body composition and factors influencing energy balance among premenopausal breast cancer patients receiving adjuvant chemotherapy. Journal of Clinical Oncology 19, 2381-2389.

Demark-Wahnefried, W., Hars, V., Conaway, M.R., Havlin, K., Rimer, B.K., McElveen, G., Winer, E.P. (1997). Reduced rates of metabolism and decreased physical activity in breast cancer patients receiving adjuvant chemotherapy. American Journal of Clinical Nutrition 65, 1495-1501.

Dolecek, T. A. (1992). Epidemiological evidence of relationships between dietary polyunsaturated fatty acids and mortality in the multiple risk factor intervention trial. Proceedings of the Society for Experimental Biology and Medicine 200, 177-182.

Donegan, W., Hartz, A., and Rimm, A. (1978). The association of body weight with recurrent cancer of the breast. Cancer 41, 1590-1594.

Eberlein, T., Simon, R., Fisher, S., and Lippman, M. E. (1985). Height, weight, and risk of breast cancer relapse. Breast Cancer Research and Treatment 5, 81-85.

Ewertz, M. (1993). Breast cancer in Denmark: Incidence, risk factors, and characteristics of survival. Acta Oncologica 32, 595-615.

Ewertz, M., Gillanders, S., Meyer, L., and Zedeler, K. (1991). Survival of breast cancer patients in relation to factors which affect the risk of developing breast cancer. International Journal of Cancer 49, 526-530.

Friedenreich, C. M., Thune, I., Brinton, L. A., and Albanes, D. (1998). Epidemiologic issues related to the association between physical activity and breast cancer. Cancer (supplement) 83, 600-610.

Ganz, P. A. (2001). The Role of hormones in breast carcinogenesis: Issues of relevance to female childhood cancer survivors. Medical and Pediatric Oncology 36, 514-518.

Goodwin, P. J., Leszcz, M., Ennis, M., Koopmans, J., Vincent, L, Guther, H., Drysdale, E., Hundelby, M., Chochinov, H.M., Navarro, M., Speca, M., and Hunter, J. (2001). The effect of group psychosocial support on survival in metastatic breast cancer. New England Journal of Medicine 345, 1719-1726.

Greenberg, E., Vessey, M., McPherson, K., Doll, R., and Yeates, D. (1985). Body size and survival in premenopausal breast cancer. British Journal of Cancer 51, 691-697.

Gregorio, D. I., Emrich, L. J., Graham, S., Marshall, J. R., and Nemoto, T. (1985). Dietary fat consumption and survival among women with breast cancer. Journal of the National Cancer Institute 75, 37-41.

Hebert, J. R., Augustine, A., Barone, J., Kabat, G.C., Kinne, D.W., Wynder, E.L. (1988). Weight, height and body mass index in the prognosis of breast cancer: Early results of a prospective study. International Journal of Cancer 42, 315-318.

Hebert, J. R., Hurley, T. G., and Ma, Y. (1998). The effect of dietary exposures on recurrence and mortality in early stage breast cancer. Breast Cancer Research and Treatment 51, 17-28.

Hebert, J. R., and Rosen, A. (1996). Nutritional, socioeconomic, and reproductive factors in relation to female breast cancer mortality: Findings from a cross-national study. Cancer Detection and Prevention 20, 234-244.

Holm, L., Nordevang, E., Hjalmar, M., Lidbrink, E., Callmer, E., and Nilsson, B. (1993). Treatment failure and dietary habits in women with breast cancer. Journal of the National Cancer Institute 85, 32-36.

Holmes, M. D., Stampfer, M. J., Colditz, G. A., Rosner, B., Hunter, D. J., and Willett, W. C. (1999). Dietary factors and the survival of women with breast carcinoma. Cancer 86, 826-835.

Huang, Z., Hankinson, S. E., Colditz, G. A., Stampfer, M. J., Hunter, D. J., Manson, J. E., Hennekens, C. H., Rosner, B., Speizer, F. E., and Willett, W. C. (1997). Dual effects of weight and weight gain on breast cancer risk. Journal of the American Medical Association 278, 1407-1411.

Ingram, D. (1994). Diet and subsequent survival in women with breast cancer. British Journal of Cancer 69, 592-595.

Jain, M., Ferrence, R., Rehm, J., Bondy, S., Rohan, T., Ashley, M., Cohen, J., and Miller, A. B. (2000). Alcohol and breast cancer mortality in a cohort study. Breast Cancer Research and Treatment 64.

Jain, M., and Miller, A. B. (1997). Tumor characteristics and survival of breast cancer patients in relation to premorbid diet and body size. Breast Cancer Research and Treatment 42, 43-55.

Jain, M., Miller, A. B., and To, T. (1994). Premorbid diet and the prognosis of women with breast cancer. Journal of the National Cancer Institute 86, 1390-1397.

Katoh, A., Watzlaf, V. J. M., and Amico, F. D. (1994). An examination of obesity and breast cancer survival in post-menopausal women. British Journal of Cancer 70, 928-933.

Khuder, S., and Jr., S. V. (2000). Is there an association between passive smoking and breast cancer? European Journal of Epidemiology 16, 1117-1121.

Kroman, N., Mouridsen, H., and Melbye, M. (2001). The significance of reproductive history for prognosis of primary breast cancer. Ugeskrift for Laeger 163, 5205-5209.

Kroman, N., Wohlfahrt, J., Andersen, K. W., Mouridsen, H. T., Westergaard, T., and Melbye, M. (1997). Time since childbirth and prognosis in primary breast cancer: Population based study. British Medical Journal 315, 851-855.

Kroman, N., Wohlfahrt, J., Anderson, K. E., Mouridsen, H., Westergaard, T., and Melbye, M. (1998). Parity, age at first childbirth and the prognosis of primary breast cancer. British Journal of Cancer 78, 1529-1533.

Kumar, N. B., Cantor, A., Allen, K., and Cox, C. E. (2000). Android obesity at diagnosis and breast carcinoma Survival. Cancer 88, 2751-2757.

Kutynee, C., McCarger, L., Barr, S., and Hislop, T. (1999). Energy balance in women with breast cancer during adjuvant treatment. Journal of the American Dietetic Association 99, 1222-1227.

Kyogoku, S., Hirohata, T., Nomura, Y., Shigematsu, T., Takeshita, S., and Hirohata, I. (1992). Diet and prognosis of breast cancer. Nutrition and Cancer 17, 271-277.

Leddy, S. K. (1997). Incentives and barriers to exercise in women with a history of breast cancer. Oncology Nursing Forum 24, 885-890.

Lethaby, A. E., O'Neill, M. A., Mason, B. H., Holdaway, I. M., and Harvey, V. J. (1996). Overall survival from breast cancer in women pregnant or lactating at or after diagnosis. International Journal of Cancer 67, 751-755.

Lund, E., and Bonaa, K. H. (1993). Reduced breast cancer mortality among fisherman's wives in Norway. Cancer Causes and Control 4, 283-287.

Maehle, B. O., and Tretli, S. (1996). Pre-morbid body-mass-index in breast cancer: Reversed effect on survival in hormone receptor negative patients. Breast Cancer Research and Treatment 41, 123-130.

Manjer, J., Andersson, I., Berglund, G., Bondesson, L., Garne, J., Janzon, L., Malina, J., and Matson, S. (2000). Survival of women with breast cancer in relation to smoking. European Journal of Surgery 166, 852-858.

Marshall, J. R., Yinsheng, Q., Junshi, C., Parpia, B., and Campbell, T. C. (1992). Additional ecological evidence: Lipids and breast cancer mortality among women aged 55 and over in China. European Journal of Cancer 28A, 1720-1727.

McEligot, A. J., Rock, C. L., Sobo, E. J., and Flatt, S. W. (2000). Food avoidance by women at risk for recurrence of breast cancer. Journal of Cancer Education 15, 151-155.

Munger, R., Folsom, A., Kushi, L., Kaye, S., and Sellers, T. A. (1992). Dietary assessment of older Iowa women with a food frequency questionaire: Nutrient intake, reproducibility, and comparison with 24-hour dietary recall interviews. American Journal of Epidemiology 136, 192-200.

Nakachi, K., Suemasu, K., Suga, K., Takeo, T., Imai, K., and Higashi, Y. (1998). Influence of drinking green tea on breast cancer malignancy among Japanese patients. Japanese Journal of Cancer Research 89, 254-261.

Newman, S. C., Lees, A. W., and Jenkins, H. J. (1997). The effect of body mass index and oestrogen receptor level on survival of breast cancer patients. International Journal of Epidemiology 26, 484-490.

Newman, S. C., Miller, A. B., and Howe, G. R. (1986). A study of the effect of weight and dietary fat on breast cancer survival time. American Journal of Epidemiology 123, 767-774.

Newman, V. (1998). Dietary supplement use by women at risk for breast cancer recurrence. Journal of the American Dietetic Association 98, 285-292.

Obermair, A., Kurz, C., Hanzal, E., Bancher-Todesca, D., Thoma, M., Bodish, A., Kubista, E., Kyral, E., Kaider, A., and Sevelda, P. (1995). The influence of obesity on the disease-free survival in primary breast cancer. Anticancer Research 15, 2265-2269.

Olson, J. C., Bogdan, G.F., Tuthill, R.W., Nasca, P.C., and Janerich, D.T. (2001). Sex of first child and breast cancer survival in young women. Journal of Women's Health & Gender-Based Medicine 10, 327-334.

Olson, S., Zauber, A., Tang, J., and Harlap, S. (1998). Relation of time since last birth and parity to survivall of young women with breast cancer. Epidemiology 9, 669-671.

O'Meara, E., Rossing, M. A., Daling, J. R., Elmore, J. G., Barlow, W. E., and Weiss, N. S. (2001). Hormone replacement therapy after a diagnosis of breast cancer in relation to recurrence and mortality. Journal of the National Cancer Institute 93, 754-762.

Papatestas, A., Mulvihill, M., Ioannovich, J., Lesnick, G., and Aufses, A. J. (1980). Parity and prognosis in breast cancer. Cancer 45, 191-194.

Phillips, R. L., Garfinkel, L., Kuzma, J., Beeson, W., Lotz, T., and Brin, B. (1980). Mortality among California Seventh-Day Adventists for selected cancer sites. Journal of the National Cancer Institute 65, 1097-1107.

Pierce, J. P., Faerber, S., Wright, F.A., Newman, V., Flatt, S.W., Kealey, S., Rock, C.L., Hryniuk, W., and Greenberg, E.R. (1997). Feasibility of a randomized trial of a high-vegetable diet to prevent breast cancer recurrence. Nutrition and Cancer 28, 282-288.

Reeves, G., Patterson, J., Vessey, M., Yeates, D., and Jones, L. (2000). Hormonal and other factors in relation to survival among breast cancer patients. International Journal of Cancer 89, 293-299.

Rock, C. L., Flatt, S. W., Wright, F. A., Faerber, S., Newman, V., Kealey, S., and Pierce, J. P. (1997). Responsiveness of carotenoids to a high vegetable diet intervention designed to prevent breast cancer recurrence. Cancer Epidemiology, Biomarkers and Prevention 6, 617-623.

Rock, C. L., McEligot, A. J., Flatt, S. W., Sobo, E. J., Wilfley, D. E., Jones, V. E., Hollenbach, K. A., and Marx, R. D. (1998). Eating pathology and obesity in women at risk for breast cancer recurrence. International Journal of Eating Disorders 27, 172-179.

Rohan, T. E., Fu, W., and Hiller, J. E. (1995). Physical activity and survival from breast cancer. European Journal of Cancer Prevention 4, 419-424.

Rohan, T. E., Hiller, J. E., and McMichael, A. J. (1993). Dietary factors and survival from breast cancer. Nutrition and Cancer 20, 167-177.

Saxe, G., Rock, C., Wicha, M., and Schottenfeld, D. (1999). Diet and risk for breast cancer recurrence and survival. Breast Cancer Research and Treatment 53, 241-253.

Schairer, C., Gail, M., Byrne, C., Rosenberg, P. S., Sturgeon, S. R., Brinton, L. A., and Hoover, R. N. (1999). Estrogen replacement therapy and breast cancer survival in a large screening study. Journal of the National Cancer Institute 91, 264-270.

Schouten, L., Hupperets, P., Jager, J., Volovics, L., Wils, J., Verbeek, A., and Blijham, G. (1997). Prognostic significance of etiological risk factors in early breast cancer. Breast Cancer Research and Treatment 43, 217-223.

Senie, R. T., Rosen, P. P., Rhodes, P., Lesser, M. L., and Kinne, D. W. (1992). Obesity at diagnosis of breast carcinoma influences duration of disease-free survival. Annals of Internal Medicine 116, 26-32.

Staessen, L., De Henauw, S., De Bacquer, D., De Backer, G., and Van Peteghem, C. (1997). Consumption of fatty acids in Belgium and its relationship with cancer mortality. Cancer Letters 114, 109-111.

Tretli, S., Haldorsen, T., and Ottestad, L. (1990). The effect of pre-morbid height and weight on the survival of breast cancer patients. British Journal of Cancer 62, 299-303.

Vatten, L., Foss, O., and Kvinnsland, S. (1991). Overall survival of breast cancer patients in relation to preclinically determined total serum cholesterol, body mass index, height and cigarette smoking: A population-based study. European Journal of Cancer 27, 641-646.

Verreault, R., Brisson, J., Deschenes, L., and Naud, F. (1989). Body weight and prognostic indicators in breast cancer: Modifying effect of estrogen receptors. American Journal of Epidemiology 129, 260-268.

Verreault, R., Brisson, J., Deschenes, L., Naud, F., Meyer, F., and Belanger, L. (1988). Dietary fat in relation to prognostic indicators in breast cancer. Journal of the National Cancer Institute 80, 819-825.

Wartenberg, D., Calle, E. E., Thun, M. J., Heath, C. W., Lally, C., and Woodruff, T. (2000). Passive smoking exposure and female breast cancer mortality. Journal of National Cancer Institute 92, 1666-1673.

Young-McCaughan, S., and Sexton, D. L. (1991). A retrospective investigation of the relationship between aerobic exercise and quality of life in women with breast cancer. Oncology Nursing Forum 18, 751-757.

Yu, G., Ostroff, J., Zhang, Z., Tang, J., and Schantz, S. (1997). Smoking history and cancer patient survival: A hospital cancer registry study. Cancer Detection and Prevention 21, 497-509.

Zhang, S., Folsom, A. R., Sellers, T. A., Kushi, L. H., and Potter, J. D. (1995). Better breast cancer survival for postmenopausal women who are less overweight and eat less fat. Cancer 76, 275-283.

#### **Human & Clinical Studies**

Bastarrachea, J., Hortobagyi, G. N., Smith, T. L., Hau, S. W., and Buzdar, A. U. (1994). Obesity as an adverse prognostic factor for patients receiving adjuvant chemotherapy for breast cancer. Annals of Internal Medicine 120, 18-25.

Black, M., Hankey, B., and Barclay, T. (1983). Parity as a prognostic factor in young breast cancer patients. Journal of the National Cancer Institute 70, 27-30.

Caan, B. J., Flatt, S. W., Rock, C. L., Ritenbaugh, C., Newman, V., and Pierce, J. P. (2000). Low-energy reporting in women at risk for breast cancer recurrence: Women's health eating and living group. Cancer Epidemiology, Biomarkers and Prevention 9, 1091-1097.

Camoriano, J. K., Loprinzi, C. L., Ingle, J. N., Therneau, T. M., Krook, J. E., and Veeder, M. H. (1990). Weight change in women treated with adjuvant therapy or observed following mastectomy for node-postive breast cancer. Journal of Clinical Oncology 8, 1327-1334.

Cunningham, A., Edmonds, C., Jenkins, G., Pollack, H., Lockwood, G., and Warr, D. (1998). A randomized controlled trial of the effects of group psychological therapy on survival in women with metastatic breast cancer. Psycho-Oncology 7, 508-517.

Demark-Wahnefried, W., Peterson, B., Winer, E. P., Marks, L., Aziz, N., Marcom, P., Blackwell, K., and Rimer, B. K. (2001). Changes in weight, body composition and factors influencing energy balance among premenopausal breast cancer patients receiving adjuvant chemotherapy. Journal of Clinical Oncology 19, 2381-2389.

Early Breast Cancer Trialists' Collaborative Group (1998). Polychemotherapy for early breast cancer: An overview of the randomised trials. Lancet 352, 930-942.

Early Breast Cancer Trialists' Collaborative Group (1998). Tamoxifen for early breast cancer: an overview of the randomised trials. Lancet 351, 1451-1467.

Fisher, B., and al., e. (1996). Five versus more than five years of tamoxifen therapy for breast cancer patients with negative lymph nodes and estrogen receptor-positive tumors. Journal of the National Cancer Institute 88, 1529-1542.

Fisher, B., Constantino, J., Redmond, C., Poisson, R., Bowman, D., Couture, J., Dimitrov, N., Wolmark, N., Wickerham, D., and Fisher, E. (1989). A randomized clinical trial evaluating tamoxifen in the treatment of patients with node-negative breast cancer who have estrogen-receptor-positive tumors. New England Journal of Medicine 320, 479-484.

Goodwin, P. J., Ennis, M., Pritchard, K., McCready, D., Koo, J., Sidlofsky, S., Trudeau, M., Hood, N., and Redwood, S. (1999). Adjuvant treatment and onset of menopause predict weight gain after breast cancer diagnosis. Journal of Clinical Oncology 17, 120-129.

Hargreaves, D. F., Potten, C. S., Harding, C., Shaw, L. E., Morton, M. S., Roberts, S. A., Howell, A., and Bundred, N. J. (1999). Two-week dietary soy supplementation has an estrogenic effect on normal premenopausal breast. Journal Clinical Endocrinology Metabolism 84, 4017-4024.

Huntington, M. (1985). Weight gain in patients receiving adjuvant chemotherapy for carcinoma of the breast. Cancer 56, 472-474.

McMichael-Phillips, D. F., Harding, C., Morton, M., Roberts, S. A., Howell, A., Potten, C. S., and Bundred, N. J. (1998). Effects of soy-protein supplementation on epithelial proliferation in the histologically normal human breast. American Journal of Clinical Nutrition (supplement) 68, 1431S-1436S.

McTiernan, A., Ulrich, C., Kumai, C., Bean, D., Schwartz, R., Mahloch, J., Hastings, R., Gralow, J., and Potter, J.D. (1998). Anthropometric and hormone effects of an 8-week exercise-diet intervention in breast cancer patients; Results of a pilot study. Cancer Epidemiology, Biomarkers and Prevention 7, 477-481.

Mock, V., Dow, K. H., Meares, C. J., Grimm, P. M., Dienemann, J. A., Haisfield-Wolfe, M. E., Quitasol, W., Mitchell, S., Chakravarthy, A., and Gage, I. (1997). Effects of exercise on fatigue, physical functioning, and emotional distress during radiation therapy for breast cancer. Oncology Nursing Forum 24, 991-1000.

Rock, C. L., Thomson, C., Caan, B.J., Flatt, S.W., Newman, V., Ritenbaugh, C., Marshall, J.R., Hollenbach, K.A., Stefanik, M.L., and Pierce, J.P. (2001). Reduction in fat Intake is not associated with weight loss in most women after breast cancer diagnosis. Cancer 91, 25-34.

Rock, C. L., Newmann, V., Flatt, S. W., Faerber, S., Wright, F. A., and Pierce, J. P. (1997). Nutrient intakes from foods and dietary supplements in women at risk for breast cancer recurrence. Nutrition and Cancer 29, 133-139.

Segar, M. L., Katch, V. L., Roth, R. S., Garcia, A. W., Portner, T. I., Glickman, S. G., Haslanger, S., and Wilkins, E. G. (1998). The effect of aerobic exercise on self-esteem and depressive and anxiety symptoms among breast cancer survivors, Oncology Nursing Forum 25, 107-113.

Stoll, B. A. (1996). Diet and exercise regimens to improve breast carcinoma prognosis. Cancer 78, 2465-2470.

Suissa, S., Pollak, S. S., Spitzer, W., and Margolese, R. (1989). Body size and breast cancer prognosis: A statistical explanation of the discrepancies. Cancer Research 49, 3113-3116.

#### **Animal & In vitro Studies**

Thompson, H. J. (1992). Effect of amount and type of exercise on experimentally induced breast cancer. In Exercise, Calories, Fat, and Cancer, M. M. Jacobs, ed. (New York, Plenum Press), pp. 61-71.

Prepared by Barbour S. Warren, PhD, Research Associate

We will make every effort to update this bibliography. If you have comments on this bibliography, or have a suggestion of a reference you would like us to review for inclusion in the bibliography, please send this information via email to: breastcancer@cornell.edu

Last Update 05.06.03

© 2009 Cornell University

Program on Breast Cancer and Environmental Risk Factors Cornell University, College of Veterinary Medicine Vet Box 31, Ithaca, NY 14853-6401 HON Phone: 607.254.2893; Fax: 607.254.4730 Email: breastcancer@cornell.edu

> We comply with the **HONcode standard for** trustworthy health information: Verify here