

[Skip to main content](#)



Cornell University

[New](#) [Program](#) [Learning](#) [Resources](#) [Events](#) [Maps](#) [&](#) [Stats](#) [Research](#) [Resources](#) [BCERF](#) [Research](#)



SPRECHER
INSTITUTE
for Comparative
Cancer Research

Pesticide Mancozeb and Breast Cancer Risk Bibliography

This bibliography is provided as a service to our readers. It is compiled from the entries in the [BCERF Environmental Risk Factors Bibliographic Database](#).

This bibliography is arranged topically. The topics include:

- [Review Articles on Mancozeb](#)
- [Chemical Information](#)
- [History of Use and Usage](#)
- [Regulatory Status](#)
- [Evidence of Cancer in Humans \(non-breast sites\)](#)
- [Evidence of Cancer in Animals \(non-mammary sites\)](#)
- [Classifications of Carcinogenicity by Other Agencies](#)
- [Evidence of Mammary Cancer in Experimental Animals](#)
- [Evidence of Endocrine Disruption](#)
- [Reproductive and Teratogenic Effects](#)
- [Mutagenicity and Genotoxicity](#)
- [Evidence of Tumor Promotion](#)
- [Immunological Effects](#)
- [Occupational Exposure](#)
- [Potential of Exposure for the General Population](#)
- [Environmental Fate:](#)
 - [Food and Water Residues](#)
 - [Air Residues](#)
- [Storage and Excretion of Mancozeb in Mammals](#)

Review Articles

EXTOXNET (1998) Mancozeb (<http://pmep.cce.cornell.edu/profiles/fug-nemat/febuconazole-sulfur/mancozeb/index.html>), pp. 1-7.

FAO/WHO (1993) Pesticides Residues in Food -1993 (Mancozeb). In Joint FAO/WHO Meeting on Pesticide Residues, pp. 257-289.

Lentza-Rizos, C (1990) Ethylenethiourea (ETU) in relation to use of ethylenebisdithiocarbamate (EBDC) fungicides. *Reviews of Environmental Contamination and Toxicology* 115: 1-37.

PMEP (1992) Mancozeb fact sheet 5/92 (<http://pmep.cce.cornell.edu/profiles/fung-nemat/febuconazole-sulfur/mancozeb/mancozeb-de-minimis.html>), pp. 3.

USEPA (1987) Guidance for the Reregistration of Pesticide Products Containing Mancozeb as the Active Ingredient (PB88-156419) (Washington, DC: EPA, Office of Pesticides Programs), pp. 241.

USEPA (1987) Pesticide Fact Sheet Number 125: Mancozeb (NTIS PB87-192738) (Washington, DC: EPA, Office of Pesticide Programs, Registration Division), pp. 1-9.

USEPA (1989) EBDC Special Review: Technical Support Document 2/3 (PB90-143025) (Washington, DC: EPA, Office of

Pesticides and Toxic Substances), pp. 318.

Vettorazzi, G, Almeida, WF, Burin, GJ, Jaeger, RB, Puga, FR, Rahde, AF, Reyes, FG, Schvartsman, S (1995) International safety assessment of pesticides: Dithiocarbamate pesticides, ETU, and PTU-A review and update. *Teratogenesis, Carcinogenesis, and Mutagenesis* 15: 313-317.

[Back to the top](#)

Chemical Information

IPCS. (1988). Dithiocarbamate Pesticides, Ethylenethiourea, and Propylenethiourea: A General Introduction. In *Environmental Health Criteria 78* (Geneva, Switzerland: United Nations Environment Programme, International Labour Organisation, and the World Health Organization), pp. 140.

Meister, RT (1999) *Pesticide Dictionary; Mancozeb*. In 1998 Farm Chemicals Handbook, R. T. Meister, ed. (Willoughby, OH: Meister Publishing Company), pp. C 242.

Montgomery, J. H. (1993). *Mancozeb*. In *Agrochemicals Desk Reference* (Boca Raton: Lewis Publishers), pp. 261.

USEPA. (1987). *Pesticide Fact Sheet Number 125: Mancozeb (NTIS PB87-192738)* (Washington, DC: EPA, Office of Pesticide Programs, Registration Division), pp. 1-9.

Worthing, C. R. (1991). *Mancozeb*. In *The Pesticide Manual*, C. R. Worthing, ed. (Lavenham, Suffolk, Great Britain: The British Crop Protection Council), pp. 529-530.

[Back to the top](#)

History of Use and Usage

Aspelin, A. L., and Grube, A. H. (1999). *Pesticides Industry Sales and Usage, 1996 and 1997 Market Estimates, 733-R-99-001*, USEPA, ed. (Washington, D.C.: Biological and Economic Analysis Division, Office of Pesticide Programs, Office of Prevention, Pesticides and Toxic Substances, US Environmental Protection Agency).

FAO/WHO. (1993). *Pesticides Residues in Food -1993 (Mancozeb)*. In *Joint FAO/WHO Meeting on Pesticide Residues*, pp. 257-289.

FS/USDA. (1994). *Mancozeb: pesticide fact sheet*, U. Forest Service, ed. (<http://svinet2.fs.us:80/foresthealth/pesticide/mancozeb.html>), pp. 11.

Gianessi, L. P., and Anderson, J. E. (1995b). *Pesticide Use in New York Crop Production* (Washington, D.C.: National Center for Food and Agricultural Policy).

Gianessi, L. P., and Anderson, J. E. (1995a). *Pesticide Use in US Crop Production* (Washington, D.C.: National Center for Food and Agricultural Policy).

IARC. (1987). Overall evaluations of carcinogenicity: an updating of IARC Monographs volumes 1 to 42; Hexachlorocyclohexanes (Group 2B). In *IARC Monographs on the Evaluation of the Carcinogenic Risks to Humans* (Lyon, France: IARC, World Health Organization), pp. 220-222.

Meister, R. T. (1999). *Pesticide Dictionary; Mancozeb*. In 1998 Farm Chemicals Handbook, R. T. Meister, ed. (Willoughby, OH: Meister Publishing Company), pp. C 242.

USDA. (1999). *1997 Agricultural chemical use estimates for livestock and general farm use* (<http://www.usda.gov/nass/>).

USEPA. (1989). *EBDC Special Review: Technical Support Document 2/3 (PB90-143025)* (Washington, DC: EPA, Office of Pesticides and Toxic Substances), pp. 318.

USEPA. (1987). *Guidance for the Reregistration of Pesticide Products Containing Mancozeb as the Active Ingredient (PB88-156419)* (Washington, DC: EPA, Office of Pesticides Programs), pp. 241.

USEPA. (1987). *Pesticide Fact Sheet Number 125: Mancozeb (NTIS PB87-192738)* (Washington, DC: EPA, Office of Pesticide Programs, Registration Division), pp. 1-9.

USGS. (1992). *Mancozeb, estimated agricultural use* (web site <http://water.wr.usgs.gov/pnsp/use92/mancozeb.html>: US Geological Survey).

Vettorazzi, G., Almeida, W. F., Burin, G. J., Jaeger, R. B., Puga, F. R., Rahde, A. F., Reyes, F. G., and Schvartsman, S. (1995). International safety assessment of pesticides: Dithiocarbamate pesticides, ETU, and PTU-A review and update. *Teratogenesis, Carcinogenesis, and Mutagenesis* 15, 313-317.

Worthing, C. R. (1991). Mancozeb. In *The Pesticide Manual*, C. R. Worthing, ed. (Lavenham, Suffolk, Great Britain: The British Crop Protection Council), pp. 529-530.

[Back to the top](#)

Regulatory Status

EXTOXNET. (1998). Mancozeb (<http://pmep.cce.cornell.edu/profiles/fug-nemat/febuconazole-sulfur/mancozeb/index.html>), pp. 1-7.

PMEP. (1992). Mancozeb fact sheet 5/92 (<http://pmep.cce.cornell.edu/profiles/fung-nemat/febuconazole-sulfur/mancozeb/mancozeb-de-minimis.html>), pp. 3.

USEPA. (1996). Drinking Water Regulations and Health Advisories, EPA 822-B-96-002 (Washington, D.C.: Office of Water, U.S. Environmental Protection Agency).

USEPA. (1989). EBDC Special Review: Technical Support Document 2/3 (PB90-143025) (Washington, DC: EPA, Office of Pesticides and Toxic Substances), pp. 318.

USEPA. (1996). Status of Chemicals in Special Review EPA-738-A-96-042 (Washington, DC: United States Environmental Protection Agency, Office of Prevention, Pesticides and Toxic Substances).

USEPA. (1998). Tolerances and Exemptions from Tolerances for Pesticide Chemicals in or on Raw Agricultural Commodities, 40 CFR 180, Subpart A, B, and C. In *Code of Federal Regulations*, pp. 273-434.

[Back to the top](#)

Evidence of Cancer in Humans (non-breast sites)

Schreinemachers, DM, Creason, JP, Garry, VF (1999) Cancer mortality in agricultural regions of Minnesota. *Environmental Health Perspectives* 107: 205-211.

Zahm, SH (1997) Mortality study of pesticide applicators and other employees of a lawn care service company. *Journal of Occupational and Environmental Medicine* 39: 1055-1067.

[Back to the top](#)

Evidence of Cancer in Animals (non-mammary sites)

FAO/WHO. (1993). Pesticides Residues in Food -1993 (Mancozeb). In *Joint FAO/WHO Meeting on Pesticide Residues*, pp. 257-289.

Hurley, P., Hill, R., and Whiting, R. (1998). Mode of carcinogenic action of pesticides inducing thyroid follicular cell tumors in rodents. *Environmental Health Perspectives* 106, 437-445.

Mehrotra, N. K., Kumar, S., and Shukla, Y. (1987). Tumour initiating activity of mancozeb-A carbamate fungicide in mouse skin. *Cancer Letters* 36, 1987.

Shukla, Y., Antony, M., Kumar, S., and Mehrotra, N. K. (1990). Carcinogenic activity of a carbamate fungicide, mancozeb on mouse skin. *Cancer Letters* 53, 191-195.

Szepvolgyi, J., Nagy, K., Sajgone Vukan, K., Regoly-Merei, A., Soos, K., Toth, K., Pinter, A., and Antal, M. (1989). Subacute toxicological examination of Dithane M-45. *Food and Chemical Toxicology* 27, 531-538.

Trivedi, N., Kakkar, R., Srivastava, M. K., Mithal, A., and Raizada, R. B. (1993). Effect of oral administration of fungicide-mancozeb on thyroid gland of rat. *Indian Journal of Experimental Biology* 31, 564-566.

[Back to the top](#)

Classifications of Carcinogenicity by Other Agencies

IARC. (1987). Overall evaluations of carcinogenicity: an updating of IARC Monographs volumes 1 to 42; Chlordane/Heptachlor (Group 3). In *IARC Monographs on the Evaluation of the Carcinogenic Risks to Humans* (Lyon, France: IARC, World Health Organization), pp. 146-148.

USDHHS. (1998). Report on Carcinogens, Eighth Edition Summary, 1998; Reserpine. In *Reserpine* CAS No. 50-5-5, I. L. Systems, ed. (Rockville, MD: U.S. Dept. of Health and Human Services, and the National Toxicology Program), pp. 187-188.

USEPA. (1989). EBDC Special Review: Technical Support Document 2/3 (PB90-143025) (Washington, DC: EPA, Office of Pesticides and Toxic Substances), pp. 318.

USEPA. (1987). Guidance for the Reregistration of Pesticide Products Containing Mancozeb as the Active Ingredient (PB88-156419) (Washington, DC: EPA, Office of Pesticides Programs), pp. 241.

Vettorazzi, G., Almeida, W. F., Burin, G. J., Jaeger, R. B., Puga, F. R., Rahde, A. F., Reyes, F. G., and Schwartsman, S. (1995). International safety assessment of pesticides: Dithiocarbamate pesticides, ETU, and PTU-A review and update. *Teratogenesis, Carcinogenesis, and Mutagenesis* 15, 313-317.

[Back to the top](#)

Evidence of Mammary Cancer in Experimental Animals

FAO/WHO (1993) Pesticides Residues in Food -1993 (Mancozeb). In Joint FAO/WHO Meeting on Pesticide Residues, pp. 257-289.

[Back to the top](#)

Evidence of Endocrine Disruption

Nicolau, G (1982) Circadian rhythms of RNA, DNA, and protein content in the rat thyroid, adrenal, and testis in chronic pesticide exposure-Effects of a fungicide (mancozeb). *Endocrinology* 20: 249-257.

Soto, AM, Sonnenschein, C, Chung, KL, Fernandez, MF, Olea, N, Serrano, FO (1995) The E-Screen Assay as a tool to identify estrogens: An update on estrogenic environmental pollutants. *Environmental Health Perspectives* 103: 113-122.

[Back to the top](#)

Reproductive and Teratogenic Effects

IPCS (1988) Dithiocarbamate Pesticides, Ethylenethiourea, and Propylenethiourea: A General Introduction. In *Environmental Health Criteria* 78 (Geneva, Switzerland: United Nations Environment Programme, International Labour Organisation, and the World Health Organization), pp. 140.

Kackar, R, Srivastava, MK, Raizada, RB (1997) Induction of gonadal toxicity to male rats after chronic exposure to mancozeb. *Industrial Health* 35: 104-111.

Larsson, KS, Arnander, C, Cekanova, E, Kjellberg, M (1976) Studies of teratogenic effects of the dithiocarbamates maneb, mancozeb, and propineb. *Teratology* 14: 171-184.

Lu, M, Kennedy, GL (1986) Teratogenic evaluation of mancozeb in the rat following inhalation exposure. *Toxicology and Applied Pharmacology* 84: 355-368.

Restrepo, M, Munoz, N, Day, NE, Parra, JE, de Romero, L, Nguyen-Dinh, X (1990) Prevalence of adverse reproductive outcomes in a population occupationally exposed to pesticides in Colombia. *Scandinavian Journal of Work and Environmental Health* 16: 232-238.

Solomon, HM, Lutz, MF (1989) Mancozeb: Oral (gavage) developmental toxicity study in rabbits. *Teratology* 39: 483.

[Back to the top](#)

Mutagenicity and Genotoxicity

De Lorenzo, F, Staiano, N, Silengo, L, Cortese, R (1978) Mutagenicity of diallate, sulfallate, triallate, and relationship between structure and mutagenic effects of carbamates used widely in agriculture. *Cancer Research* 38: 13-15.

FAO/WHO (1993) Pesticides Residues in Food -1993 (Mancozeb). In Joint FAO/WHO Meeting on Pesticide Residues, pp. 257-289.

Garrett, NE, Stack, HF, Waters, MD (1986) Evaluation of genetic activity profiles for sixty-five pesticides. *Mutation Research* 168: 301-325.

Georgian, L, Moraru, I, Draghicescu, T, Dinu, I, Ghizelea, G (1983) Cytogenetic effects of alachlor and mancozeb. *Mutation Research* 116: 341-348.

Jablonicka, A, Polakova, H, Karelova, J, Vargova, M (1989) Analysis of chromosome aberrations and sister-chromatid exchanges in peripheral blood lymphocytes of workers with occupational exposure to the mancozeb-containing fungicide Novozir Mn80. *Mutation Research* 224: 143-146.

Kahn, E (1980) Epidemiology of field re-entry poisoning. *Journal of Environmental Pathology and Toxicology* 4: 323-330.

Kahn, HS, Tatham, LM, Heath Jr., CW (1997) Contrasting factors associated with abdominal and peripheral weight gain among adult women. *International Journal of Obesity* 21: 903-911.

Kahn, P (1996) Coming to grips with genes and risk. *Science* 274: 496-498.

Perocco, P, Santucci, MA, Campani, AG, Forti, GC (1989) Toxic and DNA-damaging activities of the fungicides mancozeb and thiram (TMTD) on human lymphocytes in vitro. *Teratogenesis, Carcinogenesis, and Mutagenesis* 9: 75-81.

Siebert, D, Zimmermann, K, Lemperle, E (1970) Genetic effects of fungicides. *Mutation Research* 10: 533-543.

Steenland, K, Cedillo, L, Tucker, J, Hines, C, Sorensen, K, Deddens, J, Cruz, V (1997) Thyroid hormones and cytogenetic outcomes in backpack sprayers using ethylenebis(dithiocarbamate) (EBDC) fungicides in Mexico. *Environmental Health Perspectives* 10: 1126-1130.

Vargova, M, Jablonicka, A, Karelova, J, Polakova, H, Janota, S (1987) Monitoring of workers occupationally exposed to mancozeb. *Mutation Research* 181: 318.

Vasudev, V, Krishnamurthy, NB (1980) Non-mutagenicity of the fungicide dithane M-45 as inducer of recessive lethals after larval feeding in *Drosophila melanogaster*. *Mutation Research* 77: 189-191.

Warren, G, Skaar, P, Rogers, S (1976) Genetic activity of dithiocarbamate and thiocarbamoyl disulfide fungicides in *Saccharomyces cerevisiae*, *Salmonella typhimurium*, and *Escherichia coli*. *Mutation Research* 38: 391-392.

[Back to the top](#)

Tumor Promotion

Gupta, K. P., and Mehrotra, N. K. (1992). Status of ornithine decarboxylase activity and DNA synthesis in mancozeb-exposed mouse skin. *Carcinogenesis* 13, 131-133.

Mehrotra, N. K., Kumar, S., and Shukla, Y. (1990). Enhancement of tumor-initiating activity of DMBA by the carbamate fungicide mancozeb. *Bulletin of Environmental Contamination and Toxicology* 44, 39-45.

Mehrotra, N. K., Kumar, S., and Shukla, Y. (1987). Tumour initiating activity of mancozeb-A carbamate fungicide in mouse skin. *Cancer Letters* 36, 1987.

Monis, B., and Valentich, M. (1993). Promoting effects of mancozeb on pancreas of nitrosomethylurea-treated rats. *Carcinogenesis* 14, 929-933.

Shukla, Y., Antony, M., Kumar, S., and Mehrotra, N. K. (1990). Carcinogenic activity of a carbamate fungicide, mancozeb on mouse skin. *Cancer Letters* 53, 191-195.

Shukla, Y., Antony, M., Kumar, S., and Mehrotra, N. K. (1988). Tumour-promoting ability of mancozeb, a carbamate fungicide, on mouse skin. *Carcinogenesis* 9, 1511-1512.

Valentich, M. A., Cook, T., and Urrutia, R. (1996). Expression of dynamin immunoreactivity in experimental pancreatic tumors induced in rat by mancozeb-nitrosomethylurea. *Cancer Letters* 102, 23-29.

[Back to the top](#)

Immunological Effects

Bruze, M, Fregert, S (1983) Allergic contact dermatitis from ethylene thiourea. *Contact Dermatitis* 9: 208-212.

Colosio, C, Barcellini, W, Maroni, M, Alcini, D, Bersani, M, Cavallo, D, Galli, A, Meroni, P, Pastorelli, R, Rizzardi, GP, Soleo, L, Foa, V (1996) Immunomodulatory effects of occupational exposure to mancozeb. *Archives of Environmental Health* 51: 445-451.

Iliev, D, Elsner, P (1997) Short communications - allergic contact dermatitis from the fungicide Rondo-M and the insecticide Alfacron. *Contact Dermatitis* 36: 51-55.

Koch, P (1996) Occupational allergic contact dermatitis and airborne contact dermatitis from 5 fungicides in a vineyard worker - Cross reactions between fungicides of the dithiocarbamate group? *Contact Dermatitis* 34: 324-329.

Matsushita, T, Arimatsu, Y, Nomura, S (1976) Experimental study on contact dermatitis caused by dithiocarbamates maneb, mancozeb, zineb, and their related compounds. *Occupational and Environmental Health* 37: 169-178.

[Back to the top](#)

Occupational Exposure

Aprea, C, Sciarra, G, Sartorelli, P, Mancini, R, Di Luca, V (1998) Environmental and biological monitoring of exposure to mancozeb, ethylenethiourea, and dimethoate during industrial formulation. *Journal of Toxicology and Environmental Health, Part A* 53: 263-281.

Kurttio, P, Savolainen, K (1990) Ethylenethiourea in air and in urine as an indicator of exposure to ethylenebisdithiocarbamate fungicides. *Scandinavian Journal of Work, Environment and Health* 16: 203-207.

Kurttio, P, Vartiainen, T, Savolainen, K (1990) Environmental and biological monitoring of exposure to ethylenebisdithiocarbamate fungicides and ethylenethiourea. *British Journal of Industrial Medicine* 47: 203-206.

Mumma, R, Brandes, G, Gordon, C (1985) Exposure of applicators and mixer-loaders during the application of mancozeb by airplanes, airblast sprayers, and compressed-air backpack sprayers. *ACS Symposium Series* 273: 201-219.

Nanni, O, Ricci, M, Lugaresi, C, Amadori, D, Falcini, F, Buiatti, E (1993) Iterative use of a priori exposure matrices to improve the characterization of chemical exposures in agricultural work studies. *Scandinavian Journal of Work Environment and Health* 19: 191-199.

Pastorelli, R, Allevi, R, Romagnano, S, Meli, G, Fanelli, R, Airoidi, L (1995) Gas chromatography-mass spectrometry determination of ethylenethiourea hemoglobin adducts: A possible indicator of exposure to ethylenebisdithiocarbamate pesticides. *Archives of Toxicology* 69: 306-311.

Savolainen, K, Kurttio, P, Vartiainen, T, Kangas, J (1989) Ethylenethiourea as an indicator of exposure to ethylenebisdithiocarbamate fungicides. *Archives of Toxicology Supplement* 13: 120-123.

[Back to the top](#)

Potential Exposure for the General Population

Environmental Fate: Food and Water Residues

Casanova, M., and Guichon, R. (1988). Residues of EBDC fungicides and ETU in experimental and commercial beverages (beer and wine). *Journal of Environmental Science and Health B23*, 179-188.

Hajslova, J., Kocourek, V., Jehlickova, Z., and Davidek, J. (1986). The fate of ethylenebis(dithiocarbamate) fungicides during processing of contaminated apples. *Zeitschrift fuer Lebensmittel Untersuchung und Forschung* 183, 348-351.

IPCS. (1988). Dithiocarbamate Pesticides, Ethylenethiourea, and Propylenethiourea: A General Introduction. In *Environmental Health Criteria 78* (Geneva, Switzerland: United Nations Environment Programme, International Labour Organisation, and the World Health Organization), pp. 140.

Lentza-Rizos, C. (1990). Ethylenethiourea (ETU) in relation to use of ethylenebisdithiocarbamate (EBDC) fungicides. *Reviews of Environmental Contamination and Toxicology* 115, 1-37.

Newsome, W. H. (1979). Residues of mancozeb, 2-imidazoline, and ethyleneurea in tomato and potato crops after field treatment with mancozeb. *Journal of Agricultural and Food Chemistry* 27, 1188-1190.

Patsakos, P. G., Liapis, K., Miliadis, G. E., and Zafiriou, K. (1992). Mancozeb residues on field sprayed apricots. *Bulletin of Environmental Contamination and Toxicology* 48, 756-761.

Rosenberg, C., and Siltanen, H. (1979). Residues of mancozeb and ethylenethiourea in grain samples. *Bulletin of Environmental Contamination and Toxicology* 22, 475-478.

USEPA. (1989). EBDC Special Review: Technical Support Document 2/3 (PB90-143025) (Washington, DC: EPA, Office of Pesticides and Toxic Substances), pp. 318.

[Back to the top](#)

Air Residues

Roperto, F, Galati, D (1998) Exposure of nonmigratory pigeons to mancozeb: a sentinel model for humans. *Journal of Toxicology and Environmental Health, Part A* 54: 459-466.

[Back to the top](#)

Storage and Excretion of Mancozeb in Mammals

IPCS (1988) Dithiocarbamate Pesticides, Ethylenethiourea, and Propylenethiourea: A General Introduction. In *Environmental Health Criteria 78* (Geneva, Switzerland: United Nations Environment Programme, International Labour Organisation, and the World Health Organization), pp. 140.

Kurttio, P, Savolainen, K (1990) Ethylenethiourea in air and in urine as an indicator of exposure to ethylenebisdithiocarbamate fungicides. *Scandinavian Journal of Work, Environment and Health* 16: 203-207.

Paulson, G (1977) Biological conversions of fungicides in animals. In *Antifungal Compounds - Interactions in Biological and Ecological Systems*, M. Siegel and H. Sisler, eds. (New York: Marcel Dekker, Inc), pp. 149-208.

[Back to the top](#)

Prepared by Saemi Mathews, Research Assistant, and Renu Gandhi, Ph.D., Research Associate

We will make every effort to update this bibliography. If you have comments on this bibliography, or have a suggestion of a reference you would like us to review for inclusion in the bibliography, please send this information via email to: breastcancer@cornell.edu

Last Update 05.06.03

© 2009 Cornell University

Program on Breast Cancer and Environmental Risk Factors
Cornell University, College of Veterinary Medicine
Vet Box 31, Ithaca, NY 14853-6401
Phone: 607.254.2893; Fax: 607.254.4730
Email: breastcancer@cornell.edu



We comply with the [HONcode standard for trustworthy health](#) information: [Verify here](#).