

[Skip to main content](#)

Cornell University

[New](#) [Program](#) [Learning](#) [Resources](#) [Events](#) [Maps](#) [&](#) [Stats](#) [Research](#) [Resources](#) [BCERF](#) [Research](#)**SPRECHER**
INSTITUTE
for Comparative
Cancer Research

Breast Cancer and Pesticide Phosmet

Bibliography

This bibliography is provided as a service to our readers. It is compiled from the entries in the [BCERF Environmental Risk Factors Bibliographic Database](#).

This bibliography is arranged topically. The topics include:

- [Review Articles on Phosmet](#)
- [Cancer Risks in Phosmet-Exposed Humans](#)
- [Experimental Animal Studies of Phosmet and Cancer](#)
- [Phosmet and Mammary Cancer in Experimental Animals](#)
- [Tumor Promotion](#)
- [Mutagenicity and Genotoxicity](#)
- [Reproductive Toxicity](#)
- [Hormone Disruption and Estrogenicity](#)
- [Immunotoxic Effects](#)
- [Occupational Exposure](#)
- [Potential of Exposure for the General Population](#)
- [Storage and Excretion of Phosmet in Mammals](#)

Review Articles

EPA. (1999). Frequently asked questions - phosmet (<http://www.epa.gov/pesticides/op/phosmet/phosfaq.htm>: US Environmental Protection Agency), pp. 1-2.

EPA. (1998c). MEMO: Environmental fate and effects division RED chapter for phosmet (<http://www.epa.gov/pesticides/op/phosmet.htm>: US Environmental Protection Agency), pp. 1-57.

EPA. (1997a). MEMO: Phosmet [(mercaptomethyl) phthalimide S-(O, O-dimethylphosphorodithioate): Hazard Identification Committee Report (<http://www.epa.gov/pesticides/op/phosmet.htm>: US Environmental Protection Agency - Office of Prevention, Pesticides, and Toxic Substances), pp. 1-10.

EPA. (1998b). MEMO: Phosmet: Acute and chronic dietary exposure and risk analyses for the HED RED (<http://www.epa.gov/pesticides/op/phosmet.htm>: US Environmental Protection Agency - Office of Prevention, Pesticides, and Toxic Substances), pp. 1-59.

EPA. (1998a). MEMO: Phosmet: HED human health risk assessment and supporting documentation for the reregistration eligibility decision document (RED) (<http://www.epa.gov/pesticides/op/phosmet.htm>: US Environmental Protection Agency - Office of Prevention, Pesticides, and Toxic Substances), pp. 1-20.

EPA. (1997b). MEMO: Toxicology chapter for Reregistration Eligibility Document (RED) on phosmet (<http://www.epa.gov/pesticides/op/phosmet.htm>: US Environmental Protection Agency), pp. 1-27.

EPA. (1986). Pesticide fact sheet number 101: phosmet (NTIS PB87-117198) (Washington, DC: EPA, Office of Pesticide Programs, Registration Division).

FAO/WHO. (1997). Evaluations of pesticide residues - 1997 (Phosmet) (http://www.fao.org/WAICENT/faoInfo/Agricult/Downloads/pes_alp.htm: Joint FAO/WHO Meeting on Pesticide Residues),

pp. 687-733.

FAO/WHO. (1994). Pesticides Residues in Food -1994 (Phosmet). In Joint FAO/WHO Meeting on Pesticide Residues, pp. 119-135.

Cancer Risks in Phosmet-Exposed Humans

Brown, L. M., Blair, A., Gibson, R., Everett, G. D., Cantor, K. P., Schumann, L. M., Burmeister, L. F., Van Lier, S. F., and Dick, F. (1990). Pesticide exposures and other agricultural risk factors for leukemia among men in Iowa and Minnesota. *Cancer Research* 50, 6585-6591.

Cantor, K. P., Blair, A., Everett, G., Gibson, R., Burmeister, L. F., Brown, L. M., Schumann, L., and Dick, F. R. (1992). Pesticides and other agricultural risk factors for non-Hodgkin's lymphoma among men in Iowa and Minnesota. *Cancer Research* 52, 2447-2455.

Experimental Animal Studies of Phosmet and Cancer

Chang, J., Morrissey, R., and Wyand, S. (1991). Unpublished report: 2-year toxicity/oncogenicity study with R-1504 in rats (Farmington, CT: Ciba-Geigy Corp.).

FAO/WHO. (1994). Pesticides Residues in Food -1994 (Phosmet). In Joint FAO/WHO Meeting on Pesticide Residues, pp. 119-135.

Katz, A., Sprague, G., Frank, J., Turnier, J., Zwicker, G., and Freudenthal, R. (1984). Unpublished report: two-year dietary oncogenicity study in mice with Imidan; Technical (Farmington, CT: Stauffer Chemical Company).

Sprague, G., and Turnier, J. (1986). Unpublished study: addendum-two-year dietary oncogenicity study in mice with Imidan; Technical. 1-5.

Mammary Cancer in Experimental Animals

Chang, J., Morrissey, R., and Wyand, S. (1991). Unpublished report: 2-year toxicity/oncogenicity study with R-1504 in rats (Farmington, CT: Ciba-Geigy Corp.).

Katz, A., Sprague, G., Frank, J., Turnier, J., Zwicker, G., and Freudenthal, R. (1984). Unpublished report: two-year dietary oncogenicity study in mice with Imidan; Technical. (Farmington, CT: Stauffer Chemical Company).

Sprague, G., and Turnier, J. (1986). Unpublished study: addendum-two-year dietary oncogenicity study in mice with Imidan; Technical. 1-5.

Tumor Promotion

Cabral, R., Hoshiya, T., Hakoi, K., Hasegawa, R., Fukushima, S., and Ito, N. (1991). A rapid in vivo bioassay for the carcinogenicity of pesticides. *Tumori* 77, 185-188.

Hasegawa, R., Cabral, R., Hoshiya, T., Hakoi, K., Ogiso, T., Boonyaphiphat, P., Shirai, T., and Ito, N. (1993). Carcinogenic potential of some pesticides in a medium-term multi-organ bioassay in rats. *International Journal of Cancer* 54, 489-493.

Mutagenicity and Genotoxicity

EPA. (1997b). MEMO: Toxicology chapter for Reregistration Eligibility Document (RED) on phosmet (<http://www.epa.gov/pesticides/op/phosmet.htm>: US Environmental Protection Agency), pp. 1-27.

FAO/WHO. (1994). Pesticides Residues in Food -1994 (Phosmet). In Joint FAO/WHO Meeting on Pesticide Residues, pp. 119-135.

Kiraly, J., Czeizel, A., and Szentesi, I. (1977). Genetic study on workers producing organophosphate insecticides. *Mutation Research* 46, 224.

Kiraly, J., Szentesi, I., Ruzicska, M., and Czeize, A. (1979). Chromosome studies in workers producing organophosphate insecticides. *Archives of Environmental Contamination and Toxicology* 8, 309-319.

Moriya, M., Ohta, T., Watanabe, K., Miyazawa, T., Kato, K., and Shirasu, Y. (1983). Further mutagenicity studies on pesticides in bacterial reversion assay systems. *Mutation Research* 116, 185-216.

Prevec, J. S., Okoampah, N. D., and Morton, R. A. (1992). Organophosphorus insecticide resistance in *Drosophila melanogaster* populations. *Journal of Genetics* 71, 121-134.

Purdy, M. (1998). High-dose exposure to systemic phosmet insecticide modifies the phosphatidylinositol anchor on the prion protein: the origins of new variant transmissible spongiform encephalopathies? *Medical Hypotheses* 50, 91-111.

Purdy, M. (1996). The UK-epidemic of BSE: slow virus or chronic pesticide-initiated modification of the prion protein? *Medical Hypotheses* 46, 445-454.

Shirasu, Y., Moriya, M., Kato, K., Furuhashi, A., and Kada, T. (1976). Mutagenicity screening of pesticides in the microbial system. *Mutation Research* 40, 19-30.

Slamenova, D., Dusinska, M., Gabelova, A., Bohusova, T., and Ruppova, K. (1992). Decemtion (Imidan)-induced single-strand breaks to human DNA, mutations at the hprt locus of V79 cells, and morphological transformations of embryo cells. *Environmental and Molecular Mutagenesis* 20, 73-78.

Vickova, V., Miadokova, E., Podstavkova, S., and Vlcek, D. (1993). Mutagenic activity of phosmet, the active component of the organophosphorus insecticide Decemtion EK 20 in *Salmonella* and *Saccharomyces* assays. *Mutation Research* 302, 153-156.

Reproductive Toxicity

Ackermann, H. (1974). Transfer of organophosphorous insecticides to the embryo-formation of PO derivatives and development of toxic symptoms. *Tagungsbericht Akademie der Landwirtschaftswissenschaften DDR* 126, 23-29.

Culliney, T. W., Pimentel, D., and Pimentel, M. H. (1992). Pesticides and natural toxicants in foods. *Agriculture, Ecosystems and Environment* 41, 297-300.

EPA. (1997b). MEMO: Toxicology chapter for Reregistration Eligibility Document (RED) on phosmet (<http://www.epa.gov/pesticides/op/phosmet.htm>: US Environmental Protection Agency), pp. 1-27.

Fabro, S., Smith, R., and Williams, R. (1966). Embryonic activity of some pesticides and drugs related to phthalimide. *Food and Cosmetics Toxicology* 3, 587-590.

FAO/WHO. (1994). Pesticides Residues in Food -1994 (Phosmet). In *Joint FAO/WHO Meeting on Pesticide Residues*, pp. 119-135.

Kundiev, Y. I., Karakashyan, A. M., and Chusova, V. N. (1993). Effects of pesticides and other adverse factors in agriculture on the female reproductive system (an epidemiological study). In *Reproductive Toxicology*, M. Richardson, ed. (Weinheim: VCH), pp. 155-166.

Martson, L. V., and Voronina, V. M. (1976). Experimental study of the effect of a series of phosphoroorganic pesticides (Dipterex and Imidan) on embryogenesis. *Environmental Health Perspectives* 13, 121-125.

Nicolson, T. B., Nettleton, P. F., Spence, J. A., and Calder, K. H. (1985). High incidence of abortions and congenital deformities of unknown aetiology in a beef herd. *The Veterinary Record* 116, 281-284.

Quinto, I., De Marinis, E., Mallardo, M., Arcucci, A., Della Morte, R., and Staiano, N. (1989). Effect of DNOC, Ferbam and Imidan exposure on mouse sperm morphology. *Mutation Research* 224, 405-408.

Staples, R. E., Kellam, R. G., and Haseman, J. K. (1976). Developmental toxicity in the rat after ingestion or gavage of organophosphate pesticides (Dipterex, Imidan) during pregnancy. *Environmental Health Perspectives* 13, 133-140.

Hormone Disruption and Estrogenicity

Quinto, I., De Marinis, E., Mallardo, M., Arcucci, A., Della Morte, R., and Staiano, N. (1989). Effect of DNOC, Ferbam and Imidan exposure on mouse sperm morphology. *Mutation Research* 224, 405-408.

Vargova, M., Gajdova, M., Jakubovsky, J., and Wsolova, L. (1994). Estrogenic effects of some xenobiotics. *Archives of Toxicology Supplement* 17, 148-152.

Immunotoxic Effects

Frank, A. A., Ross, J. L., and Sawvell, B. K. (1992). Toxic epidermal necrolysis associated with flea dips. *Veterinary and Human Toxicology* 34, 57-61.

Occupational Exposure

EPA. (1997a). MEMO: Phosmet [(mercaptomethyl) phthalimide S-(O, O-dimethylphosphorodithioate): Hazard Identification Committee Report (<http://www.epa.gov/pesticides/op/phosmet.htm>: US Environmental Protection Agency - Office of Prevention, Pesticides, and Toxic Substances), pp. 1-10.

EPA. (1998a). MEMO: Phosmet: HED human health risk assessment and supporting documentation for the reregistration eligibility decision document (RED) (<http://www.epa.gov/pesticides/op/phosmet.htm>: US Environmental Protection Agency - Office of Prevention, Pesticides, and Toxic Substances), pp. 1-20.

Kahn, E. (1980). Epidemiology of field re-entry poisoning. *Journal of Environmental Pathology and Toxicology* 4, 323-330.

Kiraly, J., Czeizel, A., and Szentesi, I. (1977). Genetic study on workers producing organophosphate insecticides. *Mutation Research* 46, 224.

Kiraly, J., Szentesi, I., Ruzicska, M., and Czeize, A. (1979). Chromosome studies in workers producing organophosphate insecticides. *Archives of Environmental Contamination and Toxicology* 8, 309-319.

Kundiev, Y. I., Karakashyan, A. M., and Chusova, V. N. (1993). Effects of pesticides and other adverse factors in agriculture on the female reproductive system (an epidemiological study). In *Reproductive Toxicology*, M. Richardson, ed. (Weinheim: VCH), pp. 155-166.

Loewenherz, C., Fenske, R. A., Simcox, N. J., Bellamy, G., and Kalman, D. (1997). Biological monitoring of organophosphorus pesticide exposure among children of agricultural workers in central Washington state. *Environmental Health Perspectives* 105, 1344-1353.

MacNeil, J. D., and Hikichi, M. (1986). Phosmet residues in an orchard and adjacent recreational area. *Journal of Environmental Science and Health* B21, 375-385.

Maddy, K. (1976). Current considerations on the relative importance of conducting additional studies on hazards of field worker exposure to pesticide residues as compared to studying other occupational safety hazards on the farm. In *Pesticide Residue Hazards to Farm Workers* (Salt Lake City, UT: National Institute for Occupational Safety and Health), pp. 125-142.

Rosenberg, J., and Quenon, S. (1988). Organophosphate toxicity associated with flea-dip products-California. *Journal of American Medical Association* 260, 22-23.

Stokes, L., Stark, a., Marshall, E., and Narang, A. (1995). Neurotoxicity among pesticide applicators exposed to organophosphates. *Occupational and Environmental Medicine* 52, 648-653.

Potential of Exposure for the General Population

Bradman, M. A., Harnly, M. E., Draper, W., Seidel, S., Teran, S., Wakeham, D., and Neutra, R. (1997). Pesticide exposures to children from California's Central Valley: results of a pilot study. *Journal of Exposure Analysis and Environmental Epidemiology* 7, 217-234.

EPA. (1999). Frequently asked questions - phosmet (<http://www.epa.gov/pesticides/op/phosmet/phosfaq.htm>: US Environmental Protection Agency), pp. 1-2.

EPA. (1998c). MEMO: Environmental fate and effects division RED chapter for phosmet (<http://www.epa.gov/pesticides/op/phosmet.htm>: US Environmental Protection Agency), pp. 1-57.

EPA. (1998b). MEMO: Phosmet: Acute and chronic dietary exposure and risk analyses for the HED RED (<http://www.epa.gov/pesticides/op/phosmet.htm>: US Environmental Protection Agency - Office of Prevention, Pesticides, and Toxic Substances), pp. 1-59.

EPA. (1998a). MEMO: Phosmet: HED human health risk assessment and supporting documentation for the reregistration eligibility decision document (RED) (<http://www.epa.gov/pesticides/op/phosmet.htm>: US Environmental Protection Agency - Office of Prevention, Pesticides, and Toxic Substances), pp. 1-20.

FAO/WHO. (1997). Evaluations of pesticide residues - 1997 (Phosmet) (http://www.fao.org/WAICENT/faoInfo/Agricult/pes_alp.htm: Joint FAO/WHO Meeting on Pesticide Residues), pp. 687-733.

Loewenherz, C., Fenske, R. A., Simcox, N. J., Bellamy, G., and Kalman, D. (1997). Biological monitoring of organophosphorus pesticide exposure among children of agricultural workers in central Washington state. *Environmental Health Perspectives* 105, 1344-1353.

Simcox, N. J., Fenske, R. A., Wolz, S. A., Lee, I., and Kalman, D. A. (1995). Pesticides in household dust and soil: exposure pathways for children of agricultural families. *Environmental Health Perspectives* 103, 1126-1134.

Storage and Excretion of Phosmet in Mammals

Ackermann, H., Seidler, H., Kagan, Y. S., and Voronina, V. M. (1976). Metabolic and toxic behavior of phthalimide derivatives. *Archives of Toxicology* 36, 127-137.

Ford, I., Menn, J., and Meyding, G. (1966). Metabolism of N-(mercaptomethyl)-phthalimide-carbonyl-C14-(S-(O,O-dimethyl-phosphorodithioate)(imidan-C14)): balance study in the rat. *Journal of Agricultural and Food Chemistry* 14, 83-86.

Johnson, J., and Bowman, M. (1968). Fate of bidrin and imidan when fed in silage to lactating dairy cows. *Journal of Dairy*

Science *51*, 1225-1228.

McBain, J., Menn, J., and Casida, J. (1968). Metabolism of carbonyl-C14 - labeled Imidan, N-(mercaptomehtyl)phtalimide-S-(O)-dimethyl-phosphorodithioate in rats and cockroaches. *Journal of Agricultural and Food Chemistry* *16*, 813-820.

Mount, M. E. (1984). Comparison of measurement of dialkyl phosphates in milk/urine and blood cholinesterase and insecticide concentrations in goats exposed to the organophosphate insecticide, Imidan. *Toxicology and Applied Pharmacology* *72*, 236-244.

O'Keefe, M., Eades, J. F., and Strickland, K. L. (1983). Phosmet residues in milk following treatment of dairy cows for warble-fly. *Journal of the Science of Food and Agriculture* *34*, 463- 465.

[Back to the top](#)

Prepared by Saemi Mathews, Research Assistant, and
Renu Gandhi, Ph.D., Research Associate, BCERF

We will make every effort to update this bibliography. If you have comments on this bibliography, or have a suggestion of a reference you would like us to review for inclusion in the bibliography, please send this information via email to: breastcancer@cornell.edu

Last Update 05.06.03

© 2009 Cornell University

Program on Breast Cancer and Environmental Risk Factors
Cornell University, College of Veterinary Medicine
Vet Box 31, Ithaca, NY 14853-6401
Phone: 607.254.2893; Fax: 607.254.4730
Email: breastcancer@cornell.edu



We comply with the [HONcode standard for trustworthy health](#) information: [Verify here](#).