http://hdl.handle.net/1813/43821 2013

Community PM

Manejo de las Chinches

Tratando con chinches en Viviendas Multifamiliares

Matthew Frye, New York State Integrated Pest Management Program, Cornell University



Plagas viajar entre paredes compartidas y usar líneas del servicios públicos en edificios multifamiliares.



Las chinches de un residente que viajó se pueden difundir a los vecinos.



Las chinches son transportados en o sobre el equipaje.




Una chinche hembra soltera puede iniciar una infestación.








Poblaciones de chinches se acumulan durante varios meses. Poblaciones de chinches grandes se extenderán a las unidades adyacentes.

















Selle las aberturas de servicios públicos que conectan las unidades.









Cornell University



Mantenga un registro de plagas que incluye el número de unidad, fecha de la denuncia y fecha de tratamiento.





Produced by the New York State Integrated Pest Management Program, which is funded through Cornell University, Cornell Cooperative Extension, the New York State Department of Agriculture and Markets, the New York State Department of Environmental Conservation, and USDA-NIFA. Illustration and design by Karen English, New York State IPM Program. Cornell Cooperative Extension provides equal program and employment opportunities. © 2013 Cornell University and the New York State IPM Program. Posted 12/2013 at www.nysipm.cornell.edu/factsheets/buildings/bb_mgmt_steps/multifamiliares.pdf